



(RHD) TOYOTA LAND CRUISER LC300 VX 3.3D AT MY2023 - SILVER

VEHICLE CODE: LC3003.3D_22 **TECHNICAL FEATURES**

Number Of Cylinders and Arrangement: 6-Cyls. V Type

Engine: 3346 3.3L

86.0 X 96.0

15,4

Maximum Power (Kw (Hp) @ R/Min): 225 (306) @ 4000 Maximum Torque (Nm @ R/Min): 700 @ 1600-2600

Transmission: 10At

Brakes

Ventilated Disc Brake With Fixed Caliper 4-Cylinder Ventilated Disc Brake with Floating Caliper 1-Cylinder















Gear Ratio

1st: 4,923 2nd: 3.257 3rd: 2.349 4th: 1.944 5th: 1.532 6th: 1.193 7th: 1.000 8th: 0.801 9th: 0.661 10th: 0.613

Reverse: 4.307

Final Drive Gear Ratio: 3.307

Dimensions And Capacities

Overall Vehicle Length (Mm): 4950-5115 Overall Vehicle Width (Mm): 1980 Overall Vehicle Height (Mm): 1905-1945

Wheelbase (Mm): 2850 Front Overhang (Mm): 945 Rear Overhang (Mm): 1190 Approach Angle (*): 32

Front Tread (Mm): 1667

Minimum Ground Clearance (Mm): 235 Minimum Turning Circle (Tyres, M): 5,9

Fuel Tank Size (L): 138

Gross Vehicle Weight (Kg): 3230

Interior

4-Zone Auto Air Conditioner (Front and Rear)

Leather Feel Seats

Electronic Vertical Driver and Passenger Seat Adjust Power Tilt

Telescopic Steering Adjustment Power Back Door (W/Close & Lock Switch)

Leather Steering Wheel with Wood Imitation Wireless Charger for Mobile Phones

Moon Roof With Jam Protection and Remote Control

Exterior

Front Fog Lamps (Led)

Chromed Outside Mirrors Heated with Memory Acoustic Windshield Glass









Safety

Side Airbags (Srs) Curtain Airbags (Srs) Isofix Points For Child Safety On Rear Outer Seats

Technical

Welcome Lightning System Bi-Led Type Main Headlamps (Low and High) Dac **Downhill Assist Control**

Ta - Turn Assist Crawl Control

Aim - Awd Integrated Management Automatic High Beam Control Headlamp Cleaner

Bsm - Blind Spot Monitoring System Auto Headlamp Levelling, Auto Dynamic

Auto Dimming Rear View Mirror (Day/Night)

Tyre Dimensions 265/65R18 (71/2J Alumi) High Gloss Rain Sensor **Automatic Wipers Control**

































































