

## (LHD) LEXUS RX 2.4PHEV AT MY 2025 - GREY

**VEHICLE CODE: LRX2.4PHEV\_7**

### TECHNICAL FEATURES

#### Engine

Engine Type and Required Fuel:	Intercooled Turbo Gas/Electric I-4
Displacement (liters/cubic inches):	2.4 L/146
Fuel System:	Port/Direct Injection
Maximum Horsepower @ RPM:	366 @ 6000
Maximum Torque @ RPM:	406 @ 2000

#### Transmission

Transmission Description:	Automatic w/OD
Number of Transmission Speeds:	6
First Gear Ratio (:1):	4.47
Second Gear Ratio (:1):	2.52
Third Gear Ratio (:1):	1.56
Fourth Gear Ratio (:1):	1.14
Fifth Gear Ratio (:1):	0.85



Sixth Gear Ratio (:1):	0.67
Reverse Ratio (:1):	3.20
Final Drive Axle Ratio (:1):	3.74

### Fuel Economy and Range

EPA Greenhouse Gas Score:	5.0 (Est)
CO2 Emissions, 15K mi/year (tons):	6.6 (2024)
Range, city/highway (miles):	464.40 / 481.60
EPA Fuel Economy, combined/city/highway (mpg):	27 (2024) / 27 (2024) / 28 (2024)

### Fuel Tank

Fuel Capacity / Gas Tank Size:	17.2
--------------------------------	------

### Exterior Dimensions

Wheelbase (inches):	112.2
Length (inches):	192.5
Width, without mirrors (inches):	75.6
Height (inches):	67.3
Front Track Width (inches):	65.2
Rear Track Width (inches):	66.5
Minimum Ground Clearance (inches):	8.1

### Interior Dimensions

Passenger / Seating Capacity:	5
Front Head Room (inches):	38.1
Front Leg Room (inches):	41.1
Front Shoulder Room (inches):	58.1
Front Hip Room (inches):	56.7
Second Row Head Room (inches):	38.5
Second Row Leg Room (inches):	37.4
Second Row Shoulder Room (inches):	56.5
Second Row Hip Room (inches):	55.9

### Cargo Area Dimensions

Cargo Space/Area Behind Front Row (cubic feet):	46.2
Cargo Space/Area Behind Second Row (cubic feet):	29.6

### Steering

Steering Type:	Rack-Pinion
Turning Diameter / Radius, curb to curb (feet):	38.8

### Suspension

Front Suspension Type:	Strut
Rear Suspension Type:	Multi-Link

### Brakes

Brake Type:	4-Wheel Disc
Anti-Lock-Braking System:	4-Wheel
Front Brake Rotors, diameter x thickness (inches):	15.7
Rear Brake Rotors, diameter x thickness (inches):	13.4

### Wheels and Tires

Front Wheel Size (inches):	21 X 8
Front Wheel Material:	Aluminum
Front Tire Size:	P235/50VR21
Rear Wheel Size (inches):	21 X 8
Rear Wheel Material:	Aluminum
Rear Tire Size:	P235/50VR21
Spare Wheel Size (inches):	Compact
Spare Wheel Material:	Steel
Spare Tire Size:	Compact

### Towing

Maximum Towing Capacity (pounds):	3500
Maximum Trailer Weight, dead weight hitch (pounds):	3500
Maximum Tongue Weight, dead weight hitch (pounds):	350
Maximum Trailer Weight, weight distributing hitch (pounds):	3500
Maximum Tongue Weight, weight distributing hitch (pounds):	350

### Weight Information

Base Curb Weight (pounds):	4750
Total Option Weight (pounds):	0.00



**Milele**  
Automotive, Mobility, and Beyond

Ras Al Khor3, Dubai - UAE  
P.O Box 6339  
+971504996459  
info@milele.com

[www.milele.com](http://www.milele.com)



[www.milele.com](http://www.milele.com)







# Milele

Automotive, Mobility, and Beyond

Ras Al Khor3, Dubai - UAE

P.O Box 6339

+971504996459

info@milele.com

[www.milele.com](http://www.milele.com)



[www.milele.com](http://www.milele.com)





**Milele**  
Automotive, Mobility, and Beyond

Ras Al Khor3, Dubai - UAE

P.O Box 6339

+971504996459

info@milele.com

[www.milele.com](http://www.milele.com)



[www.milele.com](http://www.milele.com)





