





(RHD) TOYOTA LAND CRUISER LC76 2.8D MT MY2025

VEHICLE CODE: RLC762.8D_4 **TECHNICAL CHARACTERISTICS**

Engine

Number Of Cylinders: 4

Cylinder In Line Engine Type:

Fuel Type: Diesel Displacement (Cc): 2755

Max Power Kw/Rpm: 150/3000-3400 Max Power HP/Rpm: 204/3000-3400 Max Torque Nm: 500/1600-2800

Body

Body Style: Station Wagon

Number Of Doors:











www.milele.com @

Dimensions

Dimensions (Lxwxh) In Mm: 4870 X 1870 X 1955

Wheelbase (Mm): 2730 Ground Clearance (Mm): 230

Transmission

Transmission: Part Time Manual 4x4

Gearbox: Automatic
Differential Lock: Front, Rear

Weight/Capacities

Fuel Tank Capacity (L): 130
Curb Weight (Kg): 2445
Gross Vehicle Weight (Kg): 3060
Number Of Seats: 9

Brakes

Front Brake: Ventilated Discs

Rear Brake: Drums

Suspensions

Front Suspension: Coil Type Rear Suspension: Leaf

Tyres

Tyre Dimension: 225/95r16 6j L/Tube

Exterior

Towing Hook: Front , Rear

Snorkel

Mudguards:Front , RearWheels:SteelAdjustable Side Mirrors:ManualFolding Side Mirrors:ManualBumper - Front:MoldingBumper - Rear:Black

Interior & Comfort

Radio:Radio CdConnections:2x UsbLoud Speakers:2Air Conditionning:ManualCup Holder(S):Front

Locking Glove Box

Power Windows

Power Door Locks Steering Wheel:

Adjustable Steering Wheel: Height And Reach Adjustable

Front Seats: 2

Driver Seat: Reach Adjustable










Woody









www.milele.com @

Fabric

Upholstery: **Driver Footrest**

Power Steering

Passive Safety

Airbags:

Seatbelts - Front: Seatbelts - 2nd Row: Headrests:

Number Of Spare Wheels: 1

Active Safety

Ant-Thef System: With (Immobilizer)

Door Unlock Alert

Headlamps: Halogen

High Position Brake Lamp

Abs

Electronic Stability Control:

Eletronic Brakeforce Distribution (Ebd)

Brake Assist

Hill-Start Assist Control **Downhill Assist Control**

Active Traction Control (A-Trc)

Cruise Control

Driver, Passenger

2 X 3 Points 3 X 3 Points Front, Rear

Vsc















www.milele.com @




















Milele
Automotive, Mobility, and Beyond

