

 /MileleMotors

 @MileleMotors

 MileleMotors

 @MileleMotors



TOYOTA



MileleMotors

Procuring, Sourcing, & Stocking Motor Vehicles.

Head office

P.O.Box : 6339

AF - 07, Block A, Samari Retail

Ras Al Khor 3, Dubai - UAE

Tel: +971 50 4996459

Mail: info@milelemotors.com

(LHD) Toyota Hilux 2.4D D/C 4x4 MT

Interior & Exterior Features

Key Less Entry: Interior Color Black/Gray

Front Air Conditioner: Power Steering

T.V / DVD & Back Camra: Power Windows

Audio Am / fm / cd / aux / usb: Antilock Brake System (ABS)

Central Locking: No. of Airbags 3 Airbags

Center Console Box: Front Grill Chromic

Steering Wheel With Audio/Telephone Controller: Door handle Chromic

Front Fog Lamps: Both Side Mirrors Chromic

Body Type (Wide Body): Side Steps

Roof Antenna: Floor Mounted Spare Wheel

Fabric Seats: Tyre Size 265/65R/ 17"

Major Dimensions & Vehicle Weights (unit)

Overall Length (mm) 5330/5325

Width (mm) 1855

Height (mm) 1815

Wheelbase (mm) 3085

Tread Front (mm) 1510

Rear (mm) 1520

Overhang Front (mm) 990

Rear (mm) 1255

Min. Running Ground Clearance (mm) 310

Angle of Approach (degrees) 31

Angle of Departure (degrees) 27

Interior Length (mm) 1697

Width (mm) 1480

Height (mm) 1170

 /MileleMotors

 @MileleMotors

 MileleMotors

 @MileleMotors



TOYOTA



MileleMotors

Procuring, Sourcing, & Stocking Motor Vehicles.

Head office

P.O.Box : 6339

AF - 07, Block A, Samari Retail

Ras Al Khor 3, Dubai - UAE

Tel: +971 50 4996459

Mail: info@milelemotors.com

(LHD) Toyota Hilux 2.4D D/C 4x4 MT

Seating Capacity (persons) 5

Gross Vehicle Weight

Total (kg) 2910

Curb Weight

Total Min. Options (kg) 1960

Total Max. Options (kg) 2040

Towing Capacity

With Brake (kg) 0

Without Brake (kg) 0

Fuel Tank Capacity Total (L) 80

Engine Engine Model Code: 2GD-FTV

No. of Cylinders: 4 cylinders

Cylinder Arrangement: IN LINE

Bore (mm): 92

Stroke (mm): 90

Displacement (cm³): 2393 :

Compression Ratio: 15.6

Ignition System

Fuel System: FUEL INJECTION

Fuel Type: DIESEL

Recommended Octane Rating:

Recommended Cetane Rating: 48 OR MORE (CETANE)

Max. Output

(kW) 110

(RPM) 3400

Max. Torque

(N·m) 400

(RPM Min.) 1600

(RPM Max.) 2000



Head office
P.O.Box : 6339
AF - 07, Block A, Samari Retail
Ras Al Khor 3, Dubai - UAE
Tel: +971 50 4996459
Mail: info@milelemotors.com

(LHD) Toyota Hilux 2.4D D/C 4x4 MT

Drive Train

Transmission:

Transmission Model Code: RC60F

Type: MANUAL

Transmission Gear Ratio

1st: 4.784

2nd: 2.423

3rd: 1.443

4th: 1.000

5th: 0.777

6th: 0.643

Reverse: 4.066

Final Drive Gear Ratio: 3.583

Brake System

Brake Type

Front: VENTILATED DISC BRAKE WITH
FIXED CALIPER 4-CYLINDER

Rear: LEADING-TRAILING DRUM BRAKE

Brake Size

Front Diameter (mm): 275

Rear Diameter (mm): 295

Parking Brake:

Type of Control: FLOOR LEVER TYPE

Suspensions

Suspension Type:

Front: DOUBLE WISHBONE

Rear: LEAF SPRING RIGID AXLE

Stabilizer Bar

Front: TORSION BAR

Rear:

Steering System

Steering Gear Type: RACK&PINION

Power Steering Type: HYDRAULIC

Steering Overall Ratio: 17.6

Steering Gear Ratio [w/o VGRS]: -

Lock to Lock: 3.43

Tires and Wheels

Sizes

Wheels: 16X6J

Tires: 265 / 65R / 17 / 112S

Spare Tire: GROUND TIRE



(LHD) Toyota Hilux 2.4D D/C 4x4 MT



(LHD) Toyota Hilux 2.4D D/C 4x4 MT



 /MileleMotors

 @MileleMotors

 MileleMotors

 @MileleMotors



TOYOTA



MileleMotors
Procuring, Sourcing, & Stocking Motor Vehicles.

Head office

P.O.Box : 6339

AF - 07, Block A, Samari Retail

Ras Al Khor 3, Dubai - UAE

Tel: +971 50 4996459

Mail: info@milelemotors.com

(LHD) Toyota Hilux 2.4D D/C 4x4 MT

