

www.milele.com 🛞

(LHD) LAND ROVER DEFENDER 130 S P400 3.0P AT AWD MY2023 – FUJI WHITE

VEHICLE CODE: LDEFENDER1303.0P_3 Technical Features

S P400 P400 – 3.0-litre six-cylinder, MHEV, 400PS, 550Nm torque at 2,000-5,000 rpm

Additional Option:

Premium upgrade interior pack Front passenger seat ISOFIX Leather steering wheel Extended leather upgrade Electrically adjustable steering column 14-way heated and cooled electric memory front seats with 4-way manual headrests Four-zone climate control Black exposed rear recovery eyes 22" full size spare wheel Style 5098, Gloss Black Bright exterior pack Analogue dials with central TFT display





www.milele.com 🛞

Head-up display Privacy glass Front fog lights Advanced Off-road pack Terrain response 2 All terrain progress control (ATPC) Configurable terrain response Natural smoked dark oak veneer Leather gearshift 60:40 load through heated rear seats with manual slide and recline and centre armrest 40:20:40 folding, heated third row seats

Standard Specification:

Auto-High beam assist (AHBA) Auto-Dimming Interior Rear-view mirror 3D surround camera Cabin Air purification plus

Dimension:

Length	5,358mm
Width	2,008mm (door mirrors folded)
Height	1,970mm
Wheelbase	3,022mm
Turning circle (kerb to kerb)	12.84m
Front overhang	845mm
Rear overhang	1,491mm
Approach angle2	37.5 degrees
Departure angle2	28.5 degrees
Breakover angle2	27.8 degrees
Ground clearance2	290mm
Articulation	430mm
Maximum wading depth	900mm
Maximum roof load	Static: 300kg
Dynamic	168kg
Maximum towing weight4	3,000kg
Maximum payload	Up to 750kg (8 seats); Up to 800kg (5 seats)
Luggage capacity3	Defender 130 eight-seat
Rows two and three folded	2,291 litres
Row three folded	1,232 litres
All three rows in place	389 litres



Ras Al Khor3, Dubai - UAE (2) P.O Box 6339 (2) +971504996459 (8) info@milele.com (6)







Ras Al Khor3, Dubai - UAE (2) P.O Box 6339 (2) +971504996459 (8) info@milele.com (6)







Ras Al Khor3, Dubai - UAE (2) P.O Box 6339 (2) +971504996459 (8) info@milele.com (6)









