

# (LHD) LAND ROVER RANGE ROVER HSE P530 AWD AT MY2022 – CHARENTE GREY

## VEHICLE CODE: LRANGEROVER4.4P\_1 TECHNICAL FEATURES

# **Performance** Maximum speed km/h (mph): Acceleration (secs) 0-100 km/h (0-60mph):

**Fuel Economy** Combined WLTP Consumption - I/100km (mpg): Combined WLTP CO<sub>2</sub> Emissions - g/km: Tank capacity (litres approx.):

# Powertrain

Capacity (cc): Maximum power (PS/kW/rpm): Maximum torque (Nm/rpm): Transmission: 250 (155) 4.6/4.4

11.3 - 12.0 (25.0 - 23.6) 256 - 271 90

4.395 530/390/5.000 - 7.000 750 / 1.800 - 4.500 Automatic







WeightsUnladen weight (EU) (kg):2585Unladen weight (DIN) (kg):2510Gross Vehicle Weight (GVW) (kg):3380Towing
Gross Vehicle Weight (GVW) (kg):3380Towing750Unbraked trailer (kg):750Maximum towing (kg):3500Maximum coupling point (nose weight) (kg):150Maximum vehicle and trailer combination (GTW) (kg):6880Roof Carrying100Maximum roof load (including cross bars) (kg):100Dimensions1.87Height (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):2.997Alloy wheels size:23"Headroom999 / 996.5Maximum front/rear headroom (mm):999 / 996.5
Towing750Unbraked trailer (kg):750Maximum towing (kg):3500Maximum coupling point (nose weight) (kg):150Maximum vehicle and trailer combination (GTW) (kg):6880Roof Carrying100Maximum roof load (including cross bars) (kg):100Dimensions1.87Height (m):5.052Width with mirrors folded (m):2.047Width with mirrors folded (m):2.047Width with mirrors out (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom999 / 996.5Maximum front/rear headroom with panoramic roof (mm):999 / 996.5
Unbraked trailer (kg):750Maximum towing (kg):3500Maximum coupling point (nose weight) (kg):150Maximum vehicle and trailer combination (GTW) (kg):6880Roof Carrying Maximum roof load (including cross bars) (kg):100Dimensions100Height (m):1.87Length (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroon Maximum front/rear legroom (mm):1.013 / 1.027
Unbraked trailer (kg):750Maximum towing (kg):3500Maximum coupling point (nose weight) (kg):150Maximum vehicle and trailer combination (GTW) (kg):6880Roof Carrying Maximum roof load (including cross bars) (kg):100Dimensions100Height (m):1.87Length (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroon Maximum front/rear legroom (mm):1.013 / 1.027
Maximum towing (kg):3500Maximum coupling point (nose weight) (kg):150Maximum vehicle and trailer combination (GTW) (kg):6880Roof Carrying Maximum roof load (including cross bars) (kg):100Dimensions100Height (m):1.87Length (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Maximum coupling point (nose weight) (kg):150Maximum vehicle and trailer combination (GTW) (kg):6880Roof Carrying Maximum roof load (including cross bars) (kg):100Dimensions Height (m):1.87Length (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Maximum vehicle and trailer combination (GTW) (kg):6880Roof Carrying Maximum roof load (including cross bars) (kg):100Dimensions1.87Height (m):1.87Length (m):2.047Width with mirrors folded (m):2.047Width with mirrors out (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Roof Carrying Maximum roof load (including cross bars) (kg):100Dimensions1.87Height (m):1.87Length (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Maximum roof load (including cross bars) (kg):100Dimensions1.87Height (m):1.87Length (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Maximum roof load (including cross bars) (kg):100Dimensions1.87Height (m):1.87Length (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Height (m):1.87Length (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Height (m):1.87Length (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Length (m):5.052Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"HeadroomMaximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom1.013 / 1.027
Width with mirrors folded (m):2.047Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"HeadroomMaximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom1.013 / 1.027
Width with mirrors out (m):2.209Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom999 / 996.5Legroom1.013 / 1.027
Front wheel track (m):1.702,3Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Rear wheel track (m):1.704,3Wheelbase (m):2.997Alloy wheels size:23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Wheelbase (m): Alloy wheels size:2.997 23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Alloy wheels size:23"Headroom Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Headroom999 / 996.5Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom1.013 / 1.027
Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
Maximum front/rear headroom with panoramic roof (mm):999 / 996.5Legroom Maximum front/rear legroom (mm):1.013 / 1.027
LegroomMaximum front/rear legroom (mm):1.013 / 1.027
Maximum front/rear legroom (mm): 1.013 / 1.027
Maximum front/rear legroom (mm): 1.013 / 1.027
Loadspace Capacity
Height (m): 845.8
Width (m): 1.444
Width between arches (m): 1.057
Length behind first row (m): 1.9755
Maximum loadspace volume behind first row - Dry (litres): 1.841
Maximum loadspace volume behind first row - Wet (litres): 1.05
Length behind second row (m):1.092
Length behind second row (m):1.092Maximum loadspace volume behind second row - Dry (litres):818
Length behind second row (m):1.092Maximum loadspace volume behind second row - Dry (litres):818
Length behind second row (m):1.092Maximum loadspace volume behind second row - Dry (litres):818
Length behind second row (m):1.092Maximum loadspace volume behind second row - Dry (litres):818Maximum loadspace volume behind second row - Wet (litres):1.05Ground Clearance - StandardRide height (mm):219
Length behind second row (m):1.092Maximum loadspace volume behind second row - Dry (litres):818Maximum loadspace volume behind second row - Wet (litres):1.05Ground Clearance - Standard5
Length behind second row (m):1.092Maximum loadspace volume behind second row - Dry (litres):818Maximum loadspace volume behind second row - Wet (litres):1.05Ground Clearance - StandardRide height (mm):219



#### **Ground Clearance - Off Road**

Ride height (mm): 294 Approach Angle: 34,7° Departure Angle: 29,0° Ramp Angle: 27,7°

# Wading Depth

Maximum wading depth (mm): 900

## **Turning Circle**

Kerb-to-kerb (m): 10,95 Wall-to-wall (m): 11,37 Turns lock-to-lock (no. of turns): 2,78

## Options

Aluminium treadplates with Range Rover script Centre console with storage and armrest Cabin lighting, Bright metal pedals Glovebox with upper storage Loadspace partition net Rear centre armrest Front and rear grab handles, Front and rear cupholders Loadspace cover Luggage tie-downs in loadspace Hooks in Loadspace, Loadspace Lights, Loadspace light Infotainment 13,1" Touchscreen, Meridian<sup>™</sup> Sound System Wireless Apple CarPlay<sup>®</sup> Wireless Android Auto™ Interactive Driver Display Bluetooth<sup>®</sup> connectivity Bluetooth<sup>®</sup> streaming Pivi Pro Digital Audio Broadcast (DAB) radio Head-up Display Wireless device charging with phone signal booster Voice control All Terrain Info Centre Remote Trailer Stability Assist (TSA) Electrical towing preparation Front and rear recovery eyes Secure Tracker Perimetric alarm Side repeater indicators in mirror Configurable Autolock Power operated child locks **Configurable Single Point Entry Rear ISOFIX Points** Front airbags, with passenger seat occupant detector Front side airbags 23" Style 1075 Wheels Sliding Panoramic roof Shadow Exterior Pack Digital LED headlights with signature







DRL and Image Projection Heated windscreen 24-way heated and cooled, massage electric front seats with Executive Class rear seats SV Bespoke Full Extended Leather Upgrade Heated steering wheel Three-zone Climate Control Air Quality Sensor Cabin Air Purification Pro Lockable Twin-blade sunvisors with Illuminated vanity mirrors Driver + passenger front seat armrests Easy Boot Loading







Ras Al Khor3, Dubai - UAE () P.O Box 6339 () +971504996459 () info@milele.com ()













Ras Al Khor3, Dubai - UAE () P.O Box 6339 () +971504996459 (8) info@milele.com (9)

www.milele.com 🛞









