

## (LHD) TOYOTA HILUX DC 2.7P AT 4X4 MY2025 - WHITE

VEHICLE CODE: LHILUXDC2.7P\_16

### TECHNICAL FEATURES

#### Engine

Fuel type:	Petrol
Number of cylinders:	4
Engine Type:	Cylinder in line
Displacement (cc):	2694
Max power kW/rpm:	122/5200
Max power HP/rpm:	166/5200
Max torque Nm:	245/4000

#### Body

Body style:	Pick-up double cab
Number of doors:	4 doors



## Dimensions

Wheelbase (mm):	3085
Front tread (mm):	1540
Rear tread (mm):	1550
Approach angle:	29
Departure angle:	26
Load body size (l x w x h) in mm:	5325 x 1855 x 1815

## Transmission

Transmission:	Part time manual 4x4
Gearbox:	Automatic
Auto Disconnect Differential	

## Weight/Capacities

Number of seats:	5
Fuel tank capacity (L):	80
Gross vehicle weight (kg):	2800
Curb weight (kg):	1900(min)/1970(max)

## Brakes

Front brake:	Ventilated discs
Rear brake:	Drums
Parking brake:	Manual

## Suspensions

Front suspension:	Coil type
Rear suspension:	Leaf

## Tyres

Tyre dimension:	265/65 R17
-----------------	------------

## Exterior

Wheels:	Alloy
Bumper - Front Rear:	Paint
Front grill:	Paint
Door handles:	Black
Door mirrors:	Black
Adjustable side mirrors:	Electric with Side Turn
Mudguards:	Front, Rear
Footboard:	With
Rear Deck:	A Deck
Over Fender Molding:	Wide

## Interior & Comfort

Radio:	With
Connections:	USB
Multi Information Display:	Large (TFT)
Steering wheel audio control	
Loudspeakers:	4
Air conditioning:	Manual
Cup holder(s):	Front
power Windows:	Driver
Central door locking	
Steering wheel:	Urethane
Adjustable steering wheel:	Height and Reach adjustable
Upholstery:	Fabric
Front seats:	2
Driver seat:	Reach Adjustable
Power Steering	
Car mat	
Gearshift & Brake lever:	Urethane

## Passive Safety

Airbags:	Driver, Passenger, Knee for Driver
Seatbelts - Front:	2 x 3 points
Seatbelts - 2nd row:	3 x 3 points
Seatbelt pretensioner:	Front
Spare wheel:	Alloy
Headrests:	Front, Rear
Number of spare wheels:	1

## Active Safety

Immobilizer:	With Siren
Seatbelt warning	
Door unlocks alert	
Side turn lamp	
Headlamps:	Halogen
High position brake lamp	
ABS	











