



www.milele.com

(RHD) TOYOTA HILUX DC 2.8D AT 4X4 MY2025 - WHITE

VEHICLE CODE: RHILUXDC2.8D_64

TECHNICAL FEATURES

Fuel Type: Diesel 2755 cm³ Displacement: Cylinder Nos. & Layout: 4, Inline

150 kW [204 PS] @ 50 s^{-1} - 56.6 s^{-1} Max Output: 500 Nm @ 26.6 s⁻¹ - 46.6 s⁻¹ Max Torque: Transmission: 6AT (Sequential Shift + Shiftlock)

Drive Type: 4WD

DIMENSIONS & CAPACITY

Overall Dimensions (L x W x H): 5.3 m x 1.8 m x 1.8 m

Wheelbase: 3 m Minimum Turning Radius: 6.4 m Fuel Tank Capacity: 80 Litres **Seating Capacity:** 5 U-seater Gross Vehicle Weight: 2710 kg









www.milele.com @

CHASSIS & SUSPENSION

Front Suspension: **Double Wishbone** Rear Suspension: Leaf Spring Rigid Axle Ventilated Discs / Drum Brakes (Front/Rear):

Tyres: Bridgestone 265/60R18 (45.7 cm) 110H, Radial, Tubeless

Stabilizer: Pitch & Bounce Control

FEATURE HIGHLIGHTS

INTERIOR

Cabin Wrapped in Soft Upholstery & Metallic Accents

Heat Rejection Glass

Cruise Control

Large TFT Multi-information Display

Optitron Metal Tone Combimeter

Audio, MID, Tel, Voice Recognition Switches on Steering Wheel

Tilt & Telescopic Steering

Electrochromic Rear View Mirror

20 cm Touch Screen Audio (BT, USB, Android Auto, Apple CarPlay)

Smart Watch Connect, Siri Voice Assistant (iOS)

6 U Speakers

Power Windows with Jam Protection

Cooled Upper Glovebox

Driving Modes: ECO, PWR

2nd Row: 60:40 Split & Tip-up

Back Monitor, Front and Rear Sensors with MID Park Assist:

Power Steering with VFC Manual Air-conditioner

Fabric Seats

EXTERIOR

New Design Front Bumper with Piano Black Accents SMART Entry and Push Start/Stop

Chrome-plated Door Handles

LED Front Fog Lamp

Rear Fog Lamp

Aero-stabilising Fins on ORVM Base and Rear Combination Lamps

SAFETY & SECURITY

VSC (Vehicle Stability Control) with BA (Brake Assist)

HAC (Hill Assist Control)

7 U SRS Airbags

Anti-theft Alarm

WIL Concept Front Seats (Whiplash Injury Lessening)

Child Restraint System:

Front Seat-belts with Pretensioner + Force Limiter

ISOFIX + Tether Anchor on 2nd Row















www.milele.com

Speed Auto Lock **Impact Absorbing Structure Emergency Brake Signal** ABS

OFF-ROAD FEATURES INTERIOR

TRC (Traction Control) **Electronic Drive Control** Electronic Differential Lock Approach/Departure Angle: 0.51 rad / 0.46 rad Emergency Call - SOS, Auto Collision Notification Vehicle Security - Tow Alert Remote Check - Odometer, Distance to Empty, Hazard & Head Lamps Vehicle Health e-Care - Warning Indicators, Vehicle Health Report
















www.milele.com @

















www.milele.com


















www.milele.com (®)



















